

Sale Name: The Chuck & Joyce Krause Moving Auction

LOT 8 - Pickup & Last Chance Details



Description

Doors will be unlocked and removal will begin at the Designated Time.

Buyers arriving earlier may be asked to wait.

Buyer's will be asked to stay OUTSIDE.

No Goods shall be removed until the purchaser's invoice has been paid in full.

Please Use the Online Scheduler!

This increases the efficiency of auction load out and decreases the amount of time you'll spend loading your items!

ONLINE PICKUP SCHEDULER:

Online Schedule Instructions: The morning after the auction closes we will send a load out scheduler to all the winning bidders. This scheduler system will supply any remaining time slots to the winning bidders. Scheduling can be completed by text message and email both to allow for ultimate flexibility to you, the buyer.

If you do not choose a time slot, load outs will be on a first come, first served basis and you will be asked to wait until an auction crew member can assist the load out process.

This will increase efficiency and decrease your time spent at the auction pickup!

If you do Not Schedule a Time Slot, Pickup will be on a first come, first served basis.

Removal / Load Out: Parrott Auction Crew Members/representatives will be at the auction location of:

20750 N. 1050th Street, West York, IL 62478

(Address can be Found on Google Maps)

Tuesday, October 14, 2-6 PM CST

Failure to Pickup: If buyer(s) fail to attend the scheduled pick, we will automatically charge the card on file immediately following the scheduled pickup time PLUS a \$25 NO PICKUP FEE, no exceptions.

LAST CHANCE PICKUP: All Bidders who did not pickup during the designated pickup time, will have 3 additional days to pickup their items.

WE ARE NO LONGER TAKING ANY ITEMS BACK TO OUR AUCTION CENTER -or- CALLING.

If you are unable to pickup your items, please notify our Lawrenceville office at 618-943-4905 and inform us of who will be there to pickup on your behalf.

Quantity: 1



<https://www.parrottauctions.com/>